

AMENDMENTS TO THE SPECIFICATION

Please insert the Sequence Listing (page 1) submitted herewith at the end of the application after the abstract.

Please replace paragraph [0048] with the following amended paragraph:

[0001] The term "peptide" refers to a compound that contains 2 to 50 amino acids and/or imino acids connected to one another. The amino acids can be selected from the 20 naturally occurring amino acids. The twenty conventional amino acids and their abbreviations follow conventional usage. See *Immunology - A Synthesis* (2nd Edition, E.S. Golub and D.R. Gren, Eds., Sinauer Associates, Sunderland, Mass. (1991)), which is incorporated herein by reference. The amino acids can also be selected from non-natural amino acids such as those found on the following website: http://www.sigmaaldrich.com/img/assets/6040/chemFiles_vln5_unnaturalaa_small.pdf). Although not an exhaustive list, examples of peptides include glycine-tyrosine, valine-tyrosine-valine, tyrosine-glycine-glycine-phenylalanine-methionine (SEQ ID NO: 1), tyrosine-glycine-glycine-phenylalanine-leucine (SEQ ID NO: 2) and aspartic acid-arginine-valine-tyrosine-isoleucine-histidine-proline-phenylalanine (SEQ ID NO: 3).

Please replace paragraph [0070] with the following amended paragraph:

[0070] The term "photokinetic" refers to a change in the rate of motion in response to light, as an increase or decrease in motility with a change in illumination.

Please replace paragraph [0080] with the following amended paragraph:

[0002] Similarly, in another embodiment of the invention, the biologically active substance is a peptide selected from the group consisting of glycine-tyrosine (Gly-Tyr), valine-tyrosine-valine (Val-Tyr-Val), tyrosine-glycine-glycine-phenylalanine-methionine (Tyr-Gly-Gly-Phe-Val ~~Met~~) (SEQ ID NO: 1), tyrosine-glycine-glycine-phenylalanine-leucine (Tyr-Gly-Gly-Phe-Leu) (SEQ

Application No. 10/679,112
Preliminary Amendment and Nucleotide Sequence and/or Amino
Acid Sequence Disclosure dated December 28, 2005

ID NO: 2), and aspartic acid-arginine-valine-tyrosine-
isoleucine-histidine-proline-phenylalanine (Asp-Arg-Val-Tyr-Ile-
His-Pro-Phe) (SEQ ID NO: 3).

Please replace Table 1 on pages 33 and 34 with the following
amended Table 1:

Table 1. Biologically Active Compounds Used
in Permeation Studies

Compound No.	Chemical Name ¹	Compound Classification
1	Theophylline-7 acetic acid	polar
2	Sodium ascorbyl phosphate	polar
3	Ascorbic Acid	polar
4	Ascorbyl palmitate	polar
5	Pyridoxine	polar
6	Nicotinic acid	slightly polar
7	Theobromine	non-polar
8	Theophylline	non-polar
9	Caffeine	non-polar
10	Nicotinamide	non-polar
11	Gly-Tyr	peptide
12	Val-Tyr-Val	peptide
13	Methionine Enkephalin Acetate (Tyr-Gly-Gly-Phe-Met) (<u>SEQ ID NO: 1</u>)	peptide/hormone
14	Leucine Enkephalin (Tyr-Gly-Gly-Phe-Leu) (<u>SEQ ID NO: 2</u>)	peptide/hormone
15	Angiotensin II Acetate (Asp-Arg-Val-Tyr-Ile-His-Pro-Phe) (<u>SEQ ID NO: 3</u>)	peptide/hormone
16	β -Estradiol	hormone
17	Methyl Testosterone	hormone
18	Progesterone	hormone
19	Insulin	hormone
20	Lidocaine	anaesthetic and

Application No. 10/679,112

Preliminary Amendment and Nucleotide Sequence and/or Amino
Acid Sequence Disclosure dated December 28, 2005

		cardiac depressant
21	Amphotericin B	antibiotic

¹Amino acids are designated as follows: glycine (Gly), tyrosine (Tyr), valine (Val), phenylalanine (Phe), methionine (Met), leucine (Leu), aspartic acid (Asp), arginine (Arg), isoleucine (Ile), histidine (His), and proline (Pro).